California Regional Water Quality Control Board

Los Angeles Region

Over 51 Years Serving Coastal Los Angeles and Ventura Counties Recipient of the 2001 *Environmental Leadership Award* from Keep California Beautiful



Governor

320 W. 4th Street, Suite 200, Los Angeles, California 90013 Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: http://www.swrcb.ca.gov/rwqcb4

To: Interested Persons

Terry Tamminen

Secretary for

Environmental

Protection

From: Paula Rasmussen

Chief, Groundwater Permitting and Enforcement Section

Date: July 28, 2004

Subject: Notice of Revised tentative general Waste Discharge Requirements (WDRs) for

Residential Onsite Wastewater Treatment Systems

The California Regional Water Quality Control Board, Los Angeles Region (Regional Board) will consider tentative general Waste Discharge Requirements (WDRs) for residential onsite wastewater treatment systems and a tentative Resolution adopting a Mitigated Negative Declaration for the tentative WDRs.

Copies of the revised documents can be obtained from the Regional Board website at www.swrcb.ca.gov/rwqcb4 (select the "Tentative Permits" link). Please contact Jenny Newman at (213) 576-6808 for additional information or to obtain a hard copy of the documents.

A Public Hearing will be held on September 2, 2004 at 9:00 a.m. at the Metropolitan Water District of Southern California 700 North Alameda Street, Los Angeles CA

Written comments and exhibits regarding the revised tentative WDRs must be submitted to the Regional Board no later than **4:00 p.m. on August 27, 2004**. The comment period for the Mitigated Negative Declaration ended on May 20, 2004. Failure to comply with these requirements is grounds for the Board to refuse to admit the proposed written comment or exhibit into evidence (California Code of Regulations, Title 23, Section 649.4). Comments should be submitted to:

California Regional Water Quality Control Board Los Angeles Region 320 West Fourth Street, Suite 200 Los Angeles, California 90013

ATTN: Jenny Newman